Sarcouncil Journal of Engineering and Computer Sciences

ISSN(Online): 2945-3585

Volume- 04| Issue- 07| 2025

Research Article **Received:** 05-06-2025| **Accepted:** 28-06-2025 | **Published:** 17-07-2025

Optimizing Performance per Watt in Gaming Laptops for Productivity and Regulatory Compliance

Krishna Kanth Vangaru
Independent Researcher, USA

Abstract: Gaming laptops represent a complex balance between high-performance computing capabilities and energy efficiency requirements, particularly during non-gaming productivity tasks. This comprehensive technical review explores optimization strategies for improving performance-per-watt metrics in gaming laptops while ensuring compliance with stringent energy regulations like California Energy Commission Tier 2 and European Union's Ecodesign Directive. The review examines critical hardware architecture components including discrete graphics processors, power delivery systems, and display technologies, alongside sophisticated power management techniques such as dynamic graphics switching, CPU power state optimization, and component-level power gating. Advanced approaches including context-aware power management and machine learning-based user behavior prediction demonstrate significant potential for further efficiency gains. Beyond technical capabilities, the review addresses practical implementation challenges including regulatory testing methodologies, manufacturing variance considerations, and certification processes. By implementing these multi-faceted optimization strategies, manufacturers can create gaming laptops that maintain their defining performance characteristics while substantially improving energy efficiency during everyday productivity use and meeting increasingly demanding global energy standards.

Keywords: Performance-per-watt optimization, Dynamic graphics switching, Energy regulation compliance, Context-aware power management, Machine learning power prediction.

INTRODUCTION

Gaming laptops have emerged as a dominant force in the personal computing landscape, capturing a substantial market share within the premium segment in recent years. The global gaming hardware market has demonstrated remarkable resilience despite semiconductor constraints and broader economic headwinds (Statista). These sophisticated systems integrate high-performance components designed to handle graphically intensive workloads, featuring multi-core processors, dedicated graphics processors, high-refresh rate displays, and elaborate thermal management systems.

Benchmark assessments conducted across diverse computing scenarios reveal a significant efficiency disparity when these gaming-oriented systems transition to productivity applications. During standard office tasks such as document processing, web browsing, and video conferencing, gaming laptops typically demonstrate power consumption rates that exceed efficiency-optimized alternatives by considerable margins. This discrepancy becomes particularly pronounced during battery operation, where gaming-focused machines typically exhaust their charge much faster compared to the extended runtime achieved by ultraportable alternatives performing identical tasks (Prieto, B. *et al.*, 2022).

The inefficiency challenge has acquired heightened urgency as regulatory frameworks worldwide implement increasingly stringent energy consumption limitations. California's Energy Commission Tier 2 specifications establish strict operational parameters across various system states, while the European Union's revised Ecodesign Directive implements complementary but distinct requirements that manufacturers must simultaneously satisfy. Laboratory testing indicates that unmodified gaming systems frequently exceed regulatory idle consumption thresholds by substantial margins, necessitating comprehensive optimization strategies.

Recent advances in power management technologies demonstrate promising pathways toward reconciling performance requirements with efficiency mandates. Sophisticated dynamic switching mechanisms can now intelligently allocate computational resources based on workload characteristics, while advanced power state management enables near-instantaneous transitions between high-performance and efficiency modes. These innovations maintain system responsiveness within imperceptible thresholds while substantially reducing power requirements during non-gaming scenarios.

This evaluation examines the effectiveness of contemporary power management approaches in optimizing performance-per-watt metrics during productivity workloads. By analyzing component-level optimization techniques alongside system-

Copyright © 2022 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

***Corresponding Author:** Krishna Kanth Vangaru

DOI- https://doi.org/10.5281/zenodo.16033788

wide integration strategies, this assessment provides insight into how manufacturers can maintain gaming capability while satisfying increasingly demanding regulatory standards and user expectations for battery endurance. The analysis considers not merely raw efficiency improvements but also the practical user experience implications of various power management implementations, recognizing that technical compliance must be achieved without compromising the performance characteristics that define the gaming laptop category.

Gaming Laptop Architecture

Modern gaming laptops represent a sophisticated integration of high-performance components operating within stringent thermal and power constraints. The discrete GPU remains the predominant power consumer in these systems, with contemporary models exhibiting substantial power draw under gaming loads and significant consumption even during idle states when not properly power-managed (Delestrac, P. 2024). Laboratory measurements across multiple recent gaming laptop models reveal that discrete graphics processors account for a substantial portion of total system power consumption during gaming workloads and continue to represent a significant percentage during idle system states without proper power gating implemented.

Graphics switching technologies have evolved substantially to address this efficiency challenge. Hardware-based MUX switches physically disconnect the discrete GPU from the display pipeline, reducing power consumption considerably compared to always-on configurations. However, implementation testing shows that GPU switching operations typically introduce noticeable latency periods for system reconfiguration, requiring display re-initialization and application handover. This switching delay creates significant user experience challenges, particularly for productivity scenarios involving intermittent graphical acceleration needs.

Software-based switching solutions eliminate the need for display re-initialization by maintaining constant integrated GPU connection to displays while dynamically routing rendering workloads. Detailed performance analysis indicates these implementations reduce switching latency substantially but introduce memory bandwidth overhead due to the frame buffer transfer requirements between GPUs. Advanced implementations utilizing shared memory architectures have demonstrated reduced overhead while maintaining acceptable switching times, representing a promising direction for future optimizations (Belkhiri, A., & Dagenais, M. 2024).

Performance per Watt

Performance per Watt (Perf/W) serves as the fundamental metric for evaluating computational efficiency, though standardization challenges persist across the industry. Current measurement methodologies vary significantly, with testing protocols differing in workload selection, measurement intervals, and performance weighting. Comprehensive testing across representative productivity workloads indicates that modern gaming laptops achieve varying efficiency ratios during document processing tasks, but this efficiency decreases substantially during video conferencing workloads with their sustained multi-threaded processing and real-time requirements.

The relationship between measured Perf/W and perceived system responsiveness follows a non-linear correlation. User experience studies utilizing both objective response time measurements and subjective evaluation scales demonstrate that system responsiveness perception deteriorates significantly when interface action latency exceeds certain thresholds, regardless of raw computational efficiency. Conversely, systems optimized for instantaneous response may sacrifice overall Perf/W by maintaining higher base frequencies and shallower sleep states. This relationship necessitates balanced optimization approaches that consider both metrics simultaneously rather than maximizing either in isolation.

Regulatory Landscape: CEC Tier 2 & ErP Lot 3

Energy efficiency regulations have established increasingly precise power consumption limits across different operational modes. The California Energy Commission standards implement base allowances for notebook computers in idle state, with additional allowances for specific hardware configurations including installed memory beyond the base amount, discrete graphics capabilities, and graduated allowances for storage capacity. Testing conditions mandate standardized display brightness, wireless connectivity enabled but not associated, and background services in default configuration. The European Union's Ecodesign Directive implements a similar but distinct framework, with idle allowances and supplemental allocations for enhanced components. Compliance

Copyright © 2022 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

measurement protocols specify unique environmental conditions including ambient temperature requirements, relative humidity ranges, and power measurement sampling rates with specific accuracy requirements. These tightly controlled testing conditions often diverge substantially from typical usage environments, with testing in representative user environments showing notable power consumption variations compared to regulatory test conditions.




Fig. 1: Dynamic Power Optimization Pathway for Gaming Laptops (Delestrac, P. 2024; Belkhiri, A., & Dagenais, M. 2024)

POWER MANAGEMENT STRATEGIES FOR ENHANCED EFFICIENCY

Dynamic Graphics Switching

Dynamic graphics switching technologies represent a critical pathway for optimizing power consumption in multi-GPU laptop architectures. Testing across contemporary gaming platforms reveals substantial efficiency differentials between hardware and software-based solutions. MUX switch implementations achieve significant power reductions during both idle states and productivity workloads compared to configurations with permanently active discrete graphics (Tunjic, B. 2012). This efficiency advantage comes with implementation challenges including additional hardware costs and user experience friction through required system restarts.

Software-based dynamic switching solutions eliminate restart requirements but introduce complexity in workload classification. Analysis of application behavior prediction algorithms reveals notable misclassification rates across typical productivity applications, with particularly high error rates for applications utilizing hardware-acceleration for interface rendering rather than content processing. These classification errors contribute significantly to battery life variability. Advanced machine learning models incorporating both static application signatures and runtime behavior monitoring have demonstrated potential to reduce misclassification rates substantially.

Driver version analysis further illustrates the substantial impact on power management effectiveness, with testing revealing considerable power consumption differentials between current and older driver packages performing identical workloads. This dependency creates significant challenges for system administrators in enterprise environments where driver update cycles typically span several months due to validation requirements.

CPU Power Management

CPU power management frameworks implement sophisticated frequency and voltage optimization techniques that balance performance demands with efficiency targets. However, thermal constraints in thin-profile gaming laptops create complex efficiency challenges. High-resolution thermal mapping reveals localized hotspots that can trigger premature throttling despite average temperature readings remaining within acceptable ranges (Natarajan, V. *et al.*, 2009). This thermal gradient issue becomes particularly problematic during rapid state transitions, where frequency and voltage scaling operations can create instantaneous power fluctuations. Thermal response testing demonstrates that aggressive power management algorithms optimized solely for power metrics can

Copyright © 2022 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

paradoxically increase energy consumption by triggering thermal protection mechanisms, creating sawtooth performance patterns that reduce overall efficiency. Systems implementing predictive thermal modeling with proactive power adjustments demonstrate meaningful improvements in sustained performance-per-watt during mixed productivity workloads compared to reactive systems.

GPU Power Management (Beyond Switching)

Beyond basic switching mechanisms, discrete graphics processors implement multiple power-saving states with varying degrees of functionality and wake latency. Advanced implementations support numerous intermediate states beyond traditional operational modes, allowing fine-grained power optimization based on anticipated usage patterns. Properly implemented deep sleep states in modern discrete GPUs can reduce idle consumption substantially while maintaining acceptable wake latency.

The relationship between software-defined power limits and actual hardware behavior varies significantly across platforms, creating implementation challenges. Laboratory testing reveals that identical power settings across different system implementations can result in substantial consumption variations due to differences in voltage delivery circuitry, firmware implementation, and thermal solution efficiency.

Display Optimization

Display subsystems represent a substantial portion of system power budget in modern gaming laptops. Dynamic refresh rate adaptation technologies can significantly reduce consumption when switching from high to standard refresh rates during static content viewing, but implementation testing reveals challenges in maintaining fluid user experience during transitions.

Content-aware refresh rate algorithms that analyze on-screen motion characteristics demonstrate superior efficiency-experience balance compared to application-based switching heuristics. These systems achieve near-optimal power savings while reducing visible transition artifacts by adapting refresh timing to natural content pauses.

Component Power Gating

Modern gaming laptops integrate numerous auxiliary systems that collectively contribute significantly to system power consumption. Audio subsystems, lighting controllers, and specialized I/O processors continue drawing power even when their functions are inactive unless properly power-gated.

Wake latency requirements create particular challenges for effective power gating, as user experience demands responsiveness below perceptible thresholds for interactive components. Techniques implementing staged wake sequences with prioritization based on usage frequency demonstrate optimal balance between power savings and responsiveness.

Software and OS-Level Optimization

Operating system power management frameworks provide the coordination layer for component-level efficiency features, but default configurations often prioritize generic compatibility over platform-specific optimization. Customized power management profiles integrating detailed hardware topology information demonstrate efficiency improvements compared to generic configurations across representative productivity workloads.

Table 1: Power Management Optimization Techniques for Gaming Laptops (Tunjic, B. 2012; Natarajan, V. *et al.*, 2009)

Power Management Strategy	Efficiency Benefits	Implementation Challenges
Dynamic Graphics Switching	Reduces power consumption during non-gaming workloads by disabling or reducing dGPU utilization	Switching latency, application misclassification, driver dependencies create user experience issues during transitions
CPU Power State Management	Allows processor to enter low-power states during idle periods and optimize voltage/frequency during active workloads	Thermal constraints in thin form factors can create throttling issues, security implications for undervolting techniques
Display Refresh Optimization	High refresh rate reduction during static content viewing provides significant power savings with minimal user impact	Transition artifacts during refresh rate changes, content-aware algorithms needed for optimal experience balance

Copyright © 2022 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

Component Power Gating	Eliminates idle power consumption from auxiliary systems when not actively used	Wake latency requirements for interactive components, coordinated control systems needed across multiple subsystems
OS-Level Power Management	Coordinates power-saving features across all hardware components, enables intelligent background process scheduling	Default configurations often prioritize compatibility over efficiency, requires platform-specific customization

Meeting Regulatory Standards (Cec Tier 2 / Erp Lot 3)

Achieving compliance with energy efficiency regulations presents significant engineering challenges for gaming laptop manufacturers. Unoptimized gaming systems frequently exceed regulatory idle power thresholds by substantial margins, necessitating comprehensive optimization approaches across multiple system domains. Implementing effective power management strategies enables modern high-performance laptops to meet increasingly stringent requirements while maintaining their core performance capabilities during gaming workloads (Channing Lovett, 2024).

Testing Methodologies

Regulatory compliance testing demands specialized instrumentation under precisely controlled environmental conditions. Certification standards specify particular accuracy requirements for power measurement equipment, minimum sampling frequencies to capture transient states, and specific measurement points to account for total system consumption including adapter inefficiencies.

Environmental parameters for testing follow equally precise specifications regarding ambient temperature, relative humidity, and background electromagnetic conditions. These tightly controlled testing environments often diverge from typical usage scenarios, creating additional challenges for real-world compliance. System configuration for testing must adhere to standardized parameters including display brightness, network connectivity states, and software configurations that may not reflect common usage patterns.

Margin Management

Effective compliance strategies must accommodate substantial component variances across production units. Manufacturing variations in semiconductor performance, power delivery components, and thermal solutions create measurable differences in power consumption between seemingly identical systems. This inherent variability necessitates designing to targets significantly below regulatory limits to ensure consistent compliance across production units.

Component aging effects introduce additional compliance challenges over product lifecycles. Power characteristics typically degrade over time due to battery conditioning requirements, power delivery component changes, and thermal interface material performance reduction. Environmental factors further complicate compliance, with ambient temperature significantly affecting power consumption across different operating environments.

Manufacturers implement various techniques to address these variance challenges throughout product lifecycles. Advanced firmware with dynamic calibration capabilities can adapt power management parameters based on detected component characteristics. Manufacturing processes incorporating statistical control methods help identify units approaching compliance boundaries, while factory customization allows optimization based on measured component behavior (Putra, T. W. A. *et al.*, 2024).

Certification Processes

Regulatory frameworks implement different certification approaches that significantly impact development processes and timelines. Some jurisdictions permit self-certification while others require third-party verification, creating varied compliance pathways with different resource requirements and market-readiness implications. Non-compliance penalties can be substantial, driving comprehensive validation processes during development and manufacturing phases.

Firmware Implementation Considerations

System firmware provides foundational control over power states and component behavior, making it critical for regulation compliance. Modern security features introduce additional complexity, as cryptographic verification processes during state transitions can introduce latency penalties that affect user experience if not carefully managed.

Copyright © 2022 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

Modern standby implementations present particular challenges for gaming laptops. Achieving required power levels while maintaining network connectivity and rapid wake capability demands sophisticated power gating across multiple components while keeping essential subsystems active. Balancing these requirements with reliable operation necessitates coordinated control systems that manage complex dependencies between platform components.




Fig. 2: Power Optimization Pathways for Gaming Laptop Compliance (Channing Lovett, 2024; Putra, T. W. A. *et al.*, 2024)

DISCUSSION

The challenge of balancing gaming performance with energy efficiency in mobile computing platforms necessitates a nuanced approach that transcends traditional static power management solutions. Contemporary gaming laptops must deliver desktop-class gaming experiences while simultaneously achieving acceptable battery durations during productivity workloads. Testing across recent gaming laptop models reveals that implementing comprehensive power management strategies can significantly extend battery life during productivity tasks (Nawrocki, P., & Sniezynski, B. 2020).

Context-Aware Power Management

Context-aware power management systems represent a significant advancement over traditional workload-detection approaches. These systems incorporate multiple environmental signals to dynamically adjust power policies. Sensor data reveals that ambient temperature variations impact system power requirements due to changes in cooling fan behavior and thermal constraints. Environmental context detection mechanisms monitor factors including ambient light, ambient noise, device orientation, and time-of-day patterns.

Research prototypes implementing multi-dimensional context awareness demonstrate substantial efficiency improvements compared to conventional workload-only detection systems. These gains derive primarily from proactive adaptation rather than reactive responses. For example, systems can preemptively adjust power states when detecting a transition from stationary desk usage to mobile lap usage, avoiding the thermal buildup that would otherwise trigger reactive throttling.

Connectivity context similarly offers substantial optimization opportunities. Analysis shows that gaming laptops with context-aware network power management can reduce power consumption by adjusting wireless transmit power and active antenna configurations based on signal strength and distance from access points.

User Behavior Learning

Power management systems incorporating machine learning capabilities demonstrate particular promise for gaming laptops, where usage patterns typically exhibit greater variability than business-focused systems. Longitudinal usage data indicates that individual users develop consistent temporal patterns that can be leveraged for optimization. For instance, a high percentage of users exhibit recurring application usage sequences during their first 30 minutes after system startup.

Advanced systems implementing user behavior prediction models achieve significant idle power

Copyright © 2022 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

reductions compared to static configurations by proactively preparing system resources for anticipated workloads. These systems analyze historical application launch sequences, time-of-day patterns, and even external calendar data to build personalized power policy models. Implementation testing shows these systems can predict upcoming GPU-intensive activities with high accuracy after suitable usage data collection (Magotra, B. *et al.*, 2022).

The computational efficiency of these learning systems presents an important consideration. Current implementations require system memory and power for background analysis and prediction, representing an acceptable overhead given the achieved power savings. Edge-based machine learning approaches utilizing specialized low-power neural processing units could potentially reduce this overhead while improving prediction accuracy through more sophisticated models.

Standardization Efforts

Industry standardization initiatives addressing power management interoperability represent a critical but often overlooked factor in system-level efficiency. Current heterogeneous implementations create significant challenges for operating systems attempting to coordinate power states across components from different manufacturers. Research indicates that systems with fully coordinated power management can achieve better power efficiency compared to those with fragmented implementations.

Emerging standards focus on creating consistent interfaces between hardware capabilities, firmware controls, and operating system power policies. Standardized telemetry frameworks enable more intelligent power distribution by providing detailed component-level power data to central management systems. Similarly, standardized power state transition protocols reduce latency penalties during state changes by eliminating redundant synchronization steps.

Table 2: Advanced Power Management Approaches for Gaming Laptops (Nawrocki, P., & Sniezynski, B. 2020; Magotra, B. *et al.*, 2022).

Approach	Key Mechanisms	Efficiency Benefits
Context-Aware Power Management	Environmental sensing (temperature, light, position), connectivity status monitoring, spatial awareness, task-specific adaptation	Proactive rather than reactive optimization, environment-specific power policies, thermal prediction to avoid throttling, dynamic network power adjustments based on signal conditions
User Behavior Learning	Application usage pattern recognition, temporal analysis of computing habits, predictive workload modeling, personalized power profiles	Anticipatory resource allocation, reduced transition latency between power states, optimized startup sequences, idle time prediction for deeper sleep states
Standardization Efforts	Common power state interfaces, unified telemetry frameworks, cross-vendor coordination protocols, consistent API development	Improved interoperability between components, reduced overhead in power state transitions, coordinated component power gating, simplified driver implementation
Edge-Based Machine Learning	Specialized low-power neural processing, on-device behavioral modeling, lightweight inferencing algorithms, federated learning techniques	Minimal computational overhead for power optimization, continuous adaptation without cloud dependency, privacy-preserving optimization, improved prediction accuracy
Integrated Thermal-Power Management	Combined thermal and power modeling, predictive thermal mapping, coordinated cooling and performance adjustments, temperature-aware scheduling	Prevention of thermal throttling cycles, optimized fan curves for specific workloads, balanced performance-noise-power profiles, extended high-performance durations

CONCLUSION

Gaming laptops have evolved significantly in their ability to balance performance requirements with energy efficiency demands through sophisticated power management technologies. The multi-faceted approach to optimization spans hardware architecture decisions, component selection, firmware implementation, and software coordination across the entire system. Dynamic graphics switching mechanisms serve as a

Copyright © 2022 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher

foundational efficiency technology, allowing systems to deactivate power-hungry discrete GPUs during productivity tasks while maintaining them for gaming scenarios. Deeper power optimization techniques including display refresh rate adaptation, comprehensive component power gating, and thermal-aware CPU management provide additional efficiency gains without compromising user experience. Looking forward, emerging technologies such as context-aware power management and machine learning-based usage prediction represent particularly promising pathways for further improvements, enabling systems to adapt proactively rather than reactively to usage scenarios. The standardization of power management interfaces between hardware components, firmware, and operating systems will facilitate more coordinated optimization across heterogeneous components. As energy efficiency regulations continue evolving toward greater stringency and consumer expectations for battery life increase, these comprehensive power management strategies will become increasingly critical for gaming laptop manufacturers seeking to maintain performance leadership while embracing sustainability imperatives. Successfully implemented, these technologies enable gaming laptops to excel across diverse usage scenarios while minimizing unnecessary energy consumption.

REFERENCES

1. Statista, "Gaming Hardware - Worldwide." https://www.statista.com/outlook/amo/media/games/gaming-hardware/worldwide
2. Prieto, B., Escobar, J. J., Gómez-López, J. C., Díaz, A. F., & Lampert, T. "Energy efficiency of personal computers: a comparative analysis." *Sustainability* 14.19 (2022): 12829.
3. Delestrac, P. *Advanced Profiling Techniques For Evaluating GPU Computing Efficiency Executing ML Applications*. Diss. Université de Montpellier, (2024).
4. Belkhiri, A., & Dagenais, M. "Analyzing gpu performance in virtualized environments: a case study." *Future Internet* 16.3 (2024): 72.
5. Tunjic, B. "Computer graphics on mobile devices." *Vienna University of Technology* (2012).
6. Natarajan, V., Deshpande, A., Solanki, S., & Chandrasekhar, A. "Thermal and power challenges in high performance computing systems." *Japanese Journal of Applied Physics* 48.5S2 (2009): 05EA01.
7. Channing Lovett, "How to Advance Sustainable High Performance Computing?," *TierPoint*, (2024).: https://www.tierpoint.com/blog/sustainable-high-performance-computing/
8. Putra, T. W. A., Setiawan, N. D. & Rusito, R. "The Use of Machine Learning for Efficient Energy Management in Big Data-Based Computing Systems," *ResearchGate,* (2024). https://www.researchgate.net/publication/387381091_The_Use_of_Machine_Learning_for_Efficient_Energy_Management_in_Big_Data-Based_Computing_Systems
9. Nawrocki, P., & Sniezynski, B. "Adaptive context-aware energy optimization for services on mobile devices with use of machine learning." *Wireless Personal Communications* 115.3 (2020): 1839-1867.
10. Magotra, B., Malhotra, D. & Dogra, A. K. "Adaptive Computational Solutions to Energy Efficiency in Cloud Computing Environment Using VM Consolidation," *Archives of Computational Methods in Engineering*, (2022).: https://link.springer.com/article/10.1007/s11831-022-09852-2

Source of support: Nil; **Conflict of interest:** Nil.

Cite this article as:

Vangaru, K. K." Optimizing Performance per Watt in Gaming Laptops for Productivity and Regulatory Compliance." *Sarcouncil Journal of Engineering and Computer Sciences* 4.7 (2025): pp 746-753.

Copyright © 2022 The Author(s): This work is licensed under a Creative Commons Attribution- NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND 4.0) International License

Publisher: SARC Publisher